10/789,506

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	L1	12	(("5067806") or ("5015924") or ("4188097") or ("3445153") or ("3152594")).PN.	USPAT; EPO; DERWENT	2007/03/27 15:04	
2	BRS	L2	0	351/200,203,205,206,211-213,215,219,221,222,233,239,243,246,163.CCLS. and (flux WITH density WITH retina$1) SAME (detect$3 or sens$3 or photocell$1) SAME processor SAME (determin$5 or calculat$3 or evaluat$3 or analy$4) SAME spectr$4	USPAT; EPO; DERWENT	2007/03/27 15:55	
3	BRS	L3	0	351/200,203,205,206,211-213,215,219,221,222,233,239,243,246,163.CCLS. and (flux WITH density WITH retina$1) SAME (detect$3 or sens$3 or photocell$1) SAME processor SAME spectr$4	USPAT; EPO; DERWENT	2007/03/27 15:56	
4	BRS	L4	0	351/200,203,205,206,211-213,215,219,221,222,233,239,243,246,163.CCLS. and (flux WITH density WITH retina$1) SAME (detect$3 or sens$3 or photocell$1) SAME processor	USPAT; EPO; DERWENT	2007/03/27 15:56	
5	BRS	L5	0	351/200,203,205,206,211-213,215,219,221,222,233,239,243,246,163.CCLS. and (flux WITH density WITH retina$1) SAME (detect$3 or sens$3 or photocell$1) SAME spectr$4	USPAT; EPO; DERWENT	2007/03/27 15:57	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
6	BRS	L6	2	351/200,203,205,206,211-213,215,219,221,222,233,239,243,246,163.CCLS. and flux SAME density SAME retina$1 SAME (detect$3 or sens$3 or photocell$1) SAME spectr$4	USPAT; EPO; DERWENT	2007/03/27 15:58	
7	BRS	L7	2	351/200,203,205,206,211-213,215,219,221,222,233,239,243,246,163.CCLS. and flux SAME density SAME retina$1 SAME (detect$3 or sens$3 or photocell$1) SAME (spectr$4 or rod$1 or cone$1 or foveal)	USPAT; EPO; DERWENT	2007/03/27 16:02	
8	BRS	L8	0	359/478,885.CCLS. and flux SAME density SAME retina$1 SAME (detect$3 or sens$3 or photocell$1) SAME (spectr$4 or rod$1 or cone$1 or foveal)	USPAT; EPO; DERWENT	2007/03/27 16:03	
9	BRS	L9	0	315/324,151.CCLS. and flux SAME density SAME retina$1 SAME (detect$3 or sens$3 or photocell$1) SAME (spectr$4 or rod$1 or cone$1 or foveal)	USPAT; EPO; DERWENT	2007/03/27 16:02	
10	BRS	L10	0	607/90.CCLS. and flux SAME density SAME retina$1 SAME (detect$3 or sens$3 or photocell$1) SAME (spectr$4 or rod$1 or cone$1 or foveal)	USPAT; EPO; DERWENT	2007/03/27 16:01	

11	BRS	L11	0	607/90.CCLS. and flux SAME density SAME retina$1 and (detect$3 or sens$3 or photocell$1) SAME (spectr$4 or rod$1 or cone$1 or foveal)	USPAT; EPO; DERWENT	2007/03/27 16:02	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
12	BRS	L12	0	315/324,151.CCLS. and flux SAME density SAME retina$1 and (detect$3 or sens$3 or photocell$1) SAME (spectr$4 or rod$1 or cone$1 or foveal)	USPAT; EPO; DERWENT	2007/03/27 16:02	
13	BRS	L13	2	351/200,203,205,206,211-213,215,219,221,222,233,239,243,246,163.CCLS. and flux SAME density SAME retina$1 and (detect$3 or sens$3 or photocell$1) SAME (spectr$4 or rod$1 or cone$1 or foveal)	USPAT; EPO; DERWENT	2007/03/27 16:02	
14	BRS	L14	0	359/478,885.CCLS. and flux SAME density SAME retina$1 and (detect$3 or sens$3 or photocell$1) SAME (spectr$4 or rod$1 or cone$1 or foveal)	USPAT; EPO; DERWENT	2007/03/27 16:03	